







令和6年度 フェロモントラップ等調査結果

クビアカスカシバ (フェロモン)

1 トラップ調査結果

(1) グラフ





(2) 調査データ

地帯区分	中東部			中東部			中東部			中東部			南部			中西部			
設置場所	神石高原町(豊松地区)			世羅町(安田地区)			三次市東酒屋町			三次市三良坂町			福山市沼隈町			三原市大和町			
周辺作物	ぶどう			ぶどう			ぶどう			ぶどう			ぶどう			ぶどう			
月	半旬	本年	平均(8年)	前年	本年	平均(7年)	前年	本年	平均(8年)	前年	本年	平均(8年)	前年	本年	平均(5年)	前年	本年	平均(年)	前年
5月	1	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0	0	0.0		0
	2	0	0	0	0	0	0	0	0	0	0	0.5	0.3	0	0.1	0	0.0		0
	3	0	0	0	0	0	0	0	0	0	0	0.8	0.7	0	0.4	0	0.0		0
	4	0	0	0	0	0	0	0	0.5	0	0	1.3	0	0	0.8	0	0.0		0
	5	0	0	0	0.5	0	0	0	0.3	0	0	1.4	0.4	1	1.3	0	0.0		0
	6	0	0	0	0.5	0	0	0	1.1	0	0	2.2	0.6	2	3.6	0.7	0.6		0
6月	1	0.4	0.0	0.1	3.0	0.2	1.5	0	0.6	0	0.3	1.4	0	1	3.9	0.7	0.7		0
	2	1.0	0.2	0.7	3.0	0.3	1.5	0	3.1	0	0.7	0.8	0	1	7.7	1.7	0.7		0.7
	3	2.1	1.0	3.6	5.5	1.0	4.0	0	2.3	0	0	1.1	0.4	2	6.6	5.7	0.7		3.3
	4	6.1	2.2	6.0	5.5	1.6	4.0	3.0	4.4	8.0	0.9	1.4	0.6	3	5.5	1.1	0.3		4.3
	5	9.7	3.5	8.6	4.5	1.9	4.5	9.0	9.6	22.0	1.1	1.6	0	4	7.2	0			1.4
	6	13.6	4.8	10.7	4.5	3.1	4.5		4.0	8.0	0	1.3	0.6		6.6	0			0.9
7月	1		8.2	17.1		2.5	2.0		5.0	6.0		1.4	0.7		6.8	0			1.9
	2		13.3	21.1		2.7	2.0		6.3	3.0		1.8	0.7		9.8	1.3			3.6
	3		12.0	20.0		2.5	1.5		8.1	2.0		1.6	0		5.8	1.7			0.7
	4		10.1	20.0		2.3	1.5		9.1	7.0		1.4	0		5.5	0			0.7
	5		8.9	16.0		1.7	0		5.3	4.0		1.5	0		5.1	0.6			0.7
	6		9.5	12.1		1.7	0.4		7.3	4.0		1.5	0		5.6	1.3			0.9
8月	1		4.2	10.7		3.1	1.8		4.0	1.0		0.7	0		4.5	1.1			0.7
	2		3.7	10.1		3.7	1.8		3.3	2.0		0.8	0		2.9	0			1.1
	3		2.5	6.0		2.0	0.5		2.5	0		0.9	0		1.9	1.1			1.1
	4		0.4	0		1.0	0.5		0.4	0		0.9	0		1.1	0.9			0
	5		0.2	0		0.3	0		0.6	0		0.4	0.6		0.1	0			0.6
	6		0.1	0		0.2	0		0	0		0.3	0.4		0.1	0			0.4
9月	1		0	0		0	0		0	0		0	0		0.0	0			0
	2		0	0		0	0		0	0		0	0		0	0			0
	3		0	0		0	0		0	0		0	0		0	0			0
	4		0	0		0	0		0	0		0	0		0	0			0
	5		0	0		0	0		0	0		0	0		0	0			0
	6		0	0		0	0		0	0		0	0		0	0			0
		33.0	84.8	163.0	27.0	31.8	32.0	12.0	77.6	67.0	3.0	27.3	6.0	11.6	93.1	18.0	3.0	0	23.0