



令和8年度 フェロモントラップ調査結果(コナガ)

※調査データはグラフの下にあります。



調査データ

地帯区分		中東部			北西部		
設置場所		世羅郡世羅町下津田			山県郡北広島町南門原		
周辺作物		キャベツ			キャベツ		
月	半旬	本年	平均(2年)	前年	本年	平年	前年
5月	1	34.4	8.0	9.3	0.7	15.6	96.9
	2	21.0	13.0	21.7	1.6	17.6	88.4
	3	1.3	15.5	24.9	2.7	16.7	75.7
	4	3.1	7.1	4.3	5.0	12.7	48.1
	5	1.3	7.3	8.2	2.4	10.9	43.2
	6		6.7	8.7	0.9	10.8	33.0
6月	1		6.4	9.4		5.4	10.7
	2		12.5	22.1		5.3	5.0
	3		7.5	7.8		11.1	50.9
	4		2.5	1.7		11.6	70.9
	5		0.4	0		7.1	28.6
	6		4.3	7.9		6.1	16.6
7月	1		2.4	4.1		4.7	13.9
	2		1.8	2.0		5.0	14.3
	3		2.7	2.5		4.7	6.8
	4		2.3	3.8		4.2	6.8
	5		1.6	1.7		2.9	7.0
	6		1.1	0.1		3.5	9.4
8月	1		0.7	0.7		6.3	34.3
	2		0.8	0.7		5.9	29.8
	3		0.4	0.4		8.6	26.9
	4		0	0		10.2	6.7
	5		1.8	3.6		16.1	71.0
	6		0.7	1.4		17.8	52.3
9月	1		1.3	0.6		6.3	0
	2		1.7	1.4		5.3	0
	3		0	0		5.8	0
	4		0.3	0		4.2	3.6
	5		0.6	0.8		6.4	2.9
	6		0.9	1.9		6.5	3.8
10月	1		0.2	0.4		7.5	5.7
	2		0	0		7.0	0
	3		0	0		6.4	0
	4		0	0		3.6	0
	5		0	0		6.4	1.7
	6		0	0		5.2	1.3