




令和8年度 フェロモントラップ調査結果(ハスモンヨトウ)

※調査データはグラフの下にあります。



調査データ

地帯区分		中西部			北西部			北西部		
設置場所		東広島市八本松町・農業技術C			北広島町南門原			北広島町木次		
周辺作物					キャベツ			キャベツ		
月	半旬	本年	平年	前年	本年	平年	前年	本年	平年	前年
5月	1	1.8	0.4	0	0	0.1	0	3.4	0.2	0
	2	1.8	0.8	0	0.4	0.4	0	2.6	0.7	1.0
	3	2.0	5.7	0	1.2	1.2	0	1.0	1.5	0
	4	0.4	8.2	5.6	3.1	4.4	1.9	5.0	1.3	0
	5	4.8	10.9	7.0	16.3	3.7	2.8	0.8	3.4	0
	6	3.7	9.8	6.4	24.3	3.0	3.3	0.2	2.0	3.3
6月	1	7.7	8.2	5.0	10.2	1.9	0	1.7	1.0	2.7
	2	10.6	11.3	4.2	7.5	2.3	0	1.3	2.4	3.5
	3	5.4	21.1	19.2	6.5	5.4	7.7	0	4.8	29.1
	4	7.2	29.5	21.2	24.3	14.2	19.4	0.3	10.8	66.4
	5	16.8	28.8	17.1	51.9	33.8	45.7	1.7	30.9	86.7
	6	4.6	19.7	7.9	16.4	32.5	29.1	2.5	28.6	54.1
7月	1	0.2	23.9	3.4	26.1	32.9	25.3	9.2	40.7	17.2
	2	1.6	24.7	1.8	34.1	25.0	25.7	8.8	58.3	12.4
	3	5.2	21.3	4.3	16.4	23.5	6.4		51.2	12.0
	4		17.7	1.7		23.6	6.4		28.4	9.9
	5		14.5	0.3		30.9	13.3		25.4	6.7
	6		18.4	3.3		44.7	48.9		38.2	19.7
8月	1		19.5	4.7		44.1	68.6		54.7	153.3
	2		33.7	8.0		70.0	42.8		115.9	131.5
	3		37.2	6.1		104.9	25.6		150.7	80.8
	4		34.2	3.9		117.8	38.8		143.4	66.3
	5		37.1	97.9		149.5	87.5		128.7	107.8
	6		88.0	125.1		270.3	204.3		189.8	164.5
9月	1		62.4	14.9		220.7	250.0		168.8	263.8
	2		58.9	10.0		150.2	128.5		163.4	204.0
	3		50.0	5.8		119.2	47.5		149.8	147.2
	4		49.6	10.6		143.4	405.7		194.8	421.4
	5		53.1	11.2		124.5	211.8		184.7	425.0
	6		42.3	11.0		81.2	76.1		114.8	300.0
10月	1		46.5	16.6		64.6	66.4		133.2	275.0
	2		64.7	39.6		38.6	3.9		104.7	201.7
	3		54.9	27.4		20.2	13.5		45.6	131.7
	4		59.1	19.8		21.3	52.1		67.7	191.7
	5		67.3	19.0		30.6	15.6		47.4	35.8
	6		64.7	7.1		23.9	58.0		56.3	133.3
11月	1		3.1	3.1		0	4		2.1	29.1
	2		3.8	7.1		1.0	1.0		1.0	63.3
	3		0.8	10.0		1.9	1.9		3.6	30.0
	4		0	16.4		2.1	2.1		2.1	18.3
	5		0	0		0	0		0.4	3.7
	6		3.0	3.0		0	0		0	9.0

令和7年度 フェロモントラップ調査結果(ハスモンヨトウ)

※調査データはグラフの下にあります。

