




令和8年度 フェロモントラップ調査結果(ヨトウガ)

※調査データはグラフの下にあります。



調査データ

地帯区分		中東部			北西部			北西部		
設置場所		世羅町山中福田			北広島町木次			安芸高田市高宮町		
周辺作物		ねぎ			キャベツ			ねぎ		
月	半旬	本年	平均(8年)	前年	本年	平年	前年	本年	平均(5年)	前年
4月	1	0	0.8	0.0	2.1	2.7	0	0	2.1	0.2
	2	2.7	2.1	0.0	3.0	2.5	0	0	0.7	1.1
	3	7.3	4.8	0.0	4.0	4.7	0	0	2.3	1.0
	4	10.0	17.9	0.0	5.7	5.5	0	0	2.8	1.9
	5	11.7	18.3	0.0	3.4	6.4	0	0	3.0	4.8
	6	14.3	22.6	0.0	7.7	5.6	0	0.3	6.0	0
5月	1	1.4	28.0	0.0	5.9	8.2	0	3.2	4.2	1.0
	2	1.4	19.3	0.0	4.1	8.5	0	2.5	4.0	0.2
	3	1.7	18.3	0.0	4.5	11.3	0	1.3	3.9	1.0
	4	2.9	15.2	0.0	2.5	11.1	0	0.7	3.7	0.8
	5	1.1	14.0	3.0	7.5	8.3	3.0	14.5	3.9	2.0
	6	0.9	13.0	4.3	4.8	7.5	4.3	17.5	3.2	0
6月	1	0.7	6.8	1.7	1.8	3.5	1.7	16.3	2.3	0
	2	0.7	4.9	0.0	1.3	2.1	0	10.0	2.5	0
	3	1.9	3.6	0.0	1.3	1.3	0	0.6	2.2	0
	4	1.6	2.6	0.4	1.3	0.9	0.4	15.3	2.1	0.6
	5	0.7	2.8	0.7	0	0.9	0.7	19.0	1.9	1.4
	6	0.7	0.9	0.7	1.7	1.2	0.7		1.0	0.3
7月	1	0.3	0.7	0.1	1.0	1.8	0.1		0.5	0.3
	2	0	0.9	0.0	2.3	1.4	0		0.4	0.3
	3	0	0.1	0.0		0.9	0		0.5	0.2
	4		0.0	0.0		0.4	0		0.5	0.1
	5		0.0	0.0		0.3	0		1.1	0.5
	6		0.0	0.0		0.2	0		1.8	0.6
8月	1		0.8	0.0		0.5	0		0.3	0.5
	2		0.4	0.0		2.9	0		0.2	0.4
	3		0.1	0.0		4.2	0		0	0
	4		0.1	0.0		3.3	0		0.2	0
	5		0.3	0.0		3.6	0		0.2	0
	6		0.2	0.0		2.7	0		0.1	0
9月	1		0.6	0.0		3.7	0		0.6	1.3
	2		1.6	0.0		5.2	0		2.5	6.4
	3		0.7	0.0		6.6	0		5.5	21.3
	4		0.8	0.0		4.9	0		6.3	25.0
	5		0.9	0.1		4.2	0.1		3.9	18.3
	6		0.7	0.6		2.1	0.6		4.3	16.7
10月	1		1.2	0.3		4.1	0.3		4.3	16.7
	2		1.6	0.3		4.8	0.3		1.0	3.3
	3		0.8	0.6		1.3	0.6		0.1	0
	4		0.2	0.7		0.5	0.7		0	0
	5		0.1	0.7		0.2	0.7		0	0
	6		0.0	0.7		0	0.7		0	0