



令和8年度 フェロモントラップ調査結果(コナガ)

※調査データはグラフの下にあります。



調査データ

地帯区分		中東部			北西部		
設置場所		世羅郡世羅町下津田			山県郡北広島町南門原		
周辺作物		キャベツ			キャベツ		
月	半旬	本年	平均(2年)	前年	本年	平年	前年
5月	1	34.4	8.0	9.3	0.7	15.6	96.9
	2	21.0	13.0	21.7	1.6	17.6	88.4
	3	1.3	15.5	24.9	2.7	16.7	75.7
	4	3.1	7.1	4.3	5.0	12.7	48.1
	5	1.3	7.3	8.2	2.4	10.9	43.2
	6	1.1	6.7	8.7	0.9	10.8	33.0
6月	1	2.9	6.4	9.4	0.8	5.4	10.7
	2	0	12.5	22.1	0.6	5.3	5.0
	3	0	7.5	7.8	0.3	11.1	50.9
	4	0.3	2.5	1.7	0.8	11.6	70.9
	5	1.4	0.4	0	1.9	7.1	28.6
	6	0.9	4.3	7.9	1.7	6.1	16.6
7月	1	1.3	2.4	4.1	1.5	4.7	13.9
	2	2.1	1.8	2.0	1.1	5.0	14.3
	3	0.7	2.7	2.5	0	4.7	6.8
	4	1.6	2.3	3.8	0.5	4.2	6.8
	5	1.7	1.6	1.7	1.3	2.9	7.0
	6	0	1.1	0.1	4.6	3.5	9.4
8月	1	0	0.7	0.7	3.8	6.3	34.3
	2	0	0.8	0.7	5.8	5.9	29.8
	3	0	0.4	0.4	6.3	8.6	26.9
	4	0	0	0	6.3	10.2	6.7
	5	0	1.8	3.6	5.0	16.1	71.0
	6	0	0.7	1.4	4.9	17.8	52.3
9月	1	0.4	1.3	0.6	4.2	6.3	0
	2	2.1	1.7	1.4	4.3	5.3	0
	3		0	0	4.3	5.8	0
	4		0.3	0		4.2	3.6
	5		0.6	0.8		6.4	2.9
	6		0.9	1.9		6.5	3.8
10月	1		0.2	0.4		7.5	5.7
	2		0	0		7.0	0
	3		0	0		6.4	0
	4		0	0		3.6	0
	5		0	0		6.4	1.7
	6		0	0		5.2	1.3